

New Wave Prosthetics Inc. 3454 Grant Avenue Grove City, OH 43123-2515

614.782.2361 Info@nwprosthetics.com

Cell#

	•	•	•			
Cl	11	110	110	n	٠	
	ш	110	10	ш	•	
						_

T .	• •		
Em	81I	٠	
LIII	an		_

Of	fic	o#	
\ / I			

Office

Clinic	

Ship To:

2	PO #

Bill To:

Prosthetics Fabrication Form Partial Hand

Point Design	i digits	Titan	M Finger	
Task Specific	Grip Lock 🗌	Other:		
Are you sending digits to New Wave? Yes No				
Diagnostic Process				

Pictures are the most important part of partial hand fabrication. Take pictures of the affected side and the sound side . A short video demonstrating range of motion is helpful. For proper length a picture in the prayer position (elbows together on the table palms together vertically sound side finger extended) gives length information.

<u>1.</u> Take Impression of affected Side 1" -2" Proximal to Ulnar Styloid . (Relaxed natural Position) Some designs require impression up to the cubital fold.

<u>2.</u> During the fitting you must correct the digit alignment on the patient. We can not make these adjustments with any accuracy. Your alignment will be transferred in the exact position you provide.

<u>3.</u> Pictures of the trial fitting with a short video is requested. Use a black sharpie and draw on the silicone any areas that need to be adjusted. Indicated how much of a change is required.

DEFINITIVE

Definitive Process

Return the diagnostic device with all changes and alignment adjustments completed. Describe difficult aspects of the trial fitting you believe are important for completion of the partial hand device. We will call you to discuss prior to proceeding with the final phase. Please include a cell phone number for sharing of pictures and easier contact. This will keep the process in line if we have questions.

Silicone Color	

Frame Color

Project Pt Last Name:

ale:		Fema	le:
------	--	------	-----

Left : Right:

Μ

REQUESTED APPT/IN CLINIC DATE:

Note: Our standard turn-a-round is 14 days from the day project is received (not including holidays)